EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|---|------------------------------|---------------------|---------|---------------------|
| L1 | 21 | (55/522-524.ccls. or 422/169-172.ccls. or 422/177-182.ccls. or 60/297.ccls.) and exhaust with filter and plug\$4 with pressure with efficiency | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/11/17 14:52 |
| L2 | 21 | (55/522-524.ccls. or 422/169-172.ccls. or 422/177-182.ccls. or 60/297.ccls.) and exhaust with filter and plug\$4 with pressure with efficiency | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/11/17 14:52 |
| L3 | 32 | (55/522-524.ccls. or 422/169-172.ccls. or 422/177-182.ccls. or 60/297.ccls.) and exhaust with filter and plug\$4 with percent\$3 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/11/17 14:52 |
| L4 | 28 | (55/522-524.ccls. or 422/169-172.ccls. or 422/177-182.ccls. or 60/297.ccls.) and honeycomb with filter and plug\$4 with heat capacity | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/11/17 14:53 |
| L5 | 17 | (55/522-524.ccls. or 422/169-172.ccls. or 422/177-182.ccls. or 60/297.ccls.) and honeycomb with filter and plug\$4 near3 pressure loss | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/11/17 14:53 |
| L6 | 0 | exhaust with filter and plug\$4 with pressure with efficiency | FPRS; EPO; JPO | ADJ | ON | 2010/11/17 14:53 |
| L7 | 0 | exhaust with filter and plug\$4 with percent\$3 | FPRS; EPO; JPO | ADJ | ON | 2010/11/17 14:53 |
| L8 | 0 | honeycomb with filter and plug\$4 near3 pressure loss | FPRS; EPO; JPO | ADJ | ON | 2010/11/17 14:54 |

| S1 | 31 | 55/522-524.ccls. and plug \$4 with percent\$3 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 12:15 |
|----|----|---|------------------------------|-----|----|---------------------|
| S2 | 60 | ("4264346" "4276071" "4329162").PN. OR ("4420316").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 12:16 |
| S3 | 24 | ("3853485" "4417908" "4420316" "4428758" "4448828" "4667469" "4810554" "5098455" "5108685" "5853459"). PN. OR ("6673414"). URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 12:33 |
| S4 | 9 | ("20040161373" "20040258582" "20050210848" "20060178258" "20080110341" "20080155952" "4455180" "6673414" "6809139").PN. OR ("7491373").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 12:34 |
| S5 | 40 | plug\$4 with pressure loss and 55/522-524.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 15:09 |
| S6 | 43 | 55/522-524.ccls. and pillar | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 15:21 |
| S7 | 52 | ("20040009106" "20040031264" "20040033175" "20040055265" "20040093858" "20040161596" "200400223892" "20050016140" "20050016141" "20050025933" "20050095179" "20050095395" "20050102987" "20050115224" "20050153099" "20050153099" "20050169819" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/20 15:22 |

| | | "20050175514" "20050176581" "20050178098" "20050180898" "20050214504" "20050229565" "20050235621" "20050247038" "20050272602" "20060019061" "20060029898" "20060029898" "20060032203" "20060043652" "20060059877" "20060172113" "20060216466" "20060216466" "2006022812" "20060225390" "20060230732" "5914187" "5930994" "6447564" "6565630" "6669751" "6770116" "6939825").PN. OR | | | | |
|-----|-----|--|------------------------------|-----|----|---------------------|
| S8 | 0 | 55/522-524.ccls. and honeycomb with filter and pressure with temperature with plug with density | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 13:59 |
| S9 | 4 | 55/522-524.ccls. and honeycomb with filter and pressure with temperature with plug | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 13:59 |
| S10 | 108 | "4417908" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 14:01 |
| S11 | 9 | ("20040161373" "20040258582" "20050210848" "20060178258" "20080110341" "20080155952" "4455180" "6673414" "6809139").PN. OR ("7491373").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 14:04 |
| S12 | 1 | ("2004/0258582").URPN. | USPAT | ADJ | ON | 2009/11/16 14:05 |

| S13 | 29 | ("3853485" "4417908" "4420316" "4428758" "4448828" "4667469" "4810554" "5098455" "5108685" "5853459"). PN. OR ("6673414"). URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 14:06 |
|-----|----|--|------------------------------|-----|----|---------------------|
| S14 | 20 | 55/522-524.ccls. and honeycomb with filter and plug\$4 with heat capacity | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 14:23 |
| S15 | 47 | 55/522-524.ccls. and honeycomb with filter and plug\$4 with pressure loss | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 14:24 |
| S16 | 10 | 55/522-524.ccls. and honeycomb with filter and plug\$4 near3 pressure loss | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/11/16 14:26 |
| S17 | 6 | 55/522-524.ccls. and honeycomb with filter and percent\$4 with plug\$4 same pressure | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/02/12 11:55 |
| S18 | 12 | (55/522-524.ccls. or 422/172-180 or 60/297. ccls.) and honeycomb with filter and decrease with plug\$4 with pressure loss | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/02/12 11:59 |
| S19 | 13 | (55/522-524.ccls. or 422/172-180 or 60/297. ccls.) and honeycomb with filter and decrease with plug\$4 with pressure | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/02/12 12:00 |
| S20 | 14 | (55/522-524.ccls. or 422/172-180 or 60/297. ccls.) and exhaust with filter and decrease with plug\$4 with pressure | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/02/12 12:01 |
| S21 | 15 | (55/522-524.ccls. or 422/172-180 or 60/297. ccls.) and exhaust with filter and plug\$4 with pressure with efficiency | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/02/12 12:02 |
| S22 | 2 | "20040211164" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/07/16 11:21 |
| S23 | 9 | plug\$4 with pressure loss with temperature and 55/522-524.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/07/16 11:24 |

| S24 | 13 | plug\$4 with pressure with temperature and 55/522-524.ccls. | | ADJ | ON | 2010/07/16 11:24 |
|-----|----|--|------------------------------|-----|----|---------------------|
| S25 | 34 | 55/522-524.ccls. and plug \$4 with percent\$3 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/07/16 11:27 |
| S26 | 17 | (55/522-524.ccls. or 422/172-180 or 60/297. ccls.) and exhaust with filter and plug\$4 with pressure with efficiency | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/07/16 11:27 |

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------------|---------------------|---------|------------------|
| L9 | 0 | (honeycomb and segments and filling percentage).clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:54 |
| L10 | 0 | (honeycomb and filling percentage). clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:55 |
| L11 | 0 | (filter and filling percentage).clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:56 |
| L12 | 0 | (filter and plugging percent\$4).clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:56 |
| L13 | 122 | (filter and plug\$4 and percent\$4).clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:56 |
| L14 | 21 | (honeycomb and plug\$4 and percent \$4).clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:56 |
| L15 | 1 | (honeycomb and segments and plug \$4 and percent\$4). clm. | USPAT; UPAD | ADJ | ON | 2010/11/17 14:57 |

11/17/2010 2:58:48 PM

C:\ Documents and Settings\ amillerharris\ My Documents\ EAST\ Workspaces\ 10565110. wsp